


Ø 48,3 mm Übersicht / Overview

Schema für Geländerbau Scheme of railing-system Ø 48,3 mm



Rohre und Rohrstopfen siehe Seite 388–389
Tubes and tubular endcaps see page 388–389

Seite / page 376 + 377



5040



5045



5021 a



5114




5041



5042



5022 a



5043

Seite / page 378



5044



5044 a

Ø
48.3
mm

Bestell-Nr.

Artikel-Nr.	Oberflächenausführung
5040	- 0 0 Roh
	- 1.0 Trommel-polier
	- 1.1 Hochglanz-polier
	- 2.0 Gleitgeschliffen, mattiert und techn. eloxiert
	- 2.1 Poliert und eloxiert
	- 3-RAL... Pulverbeschichtet

siehe auch Seite 314–315

Order no.


Artikel-Nr.	Surface version
5040	- 0 0 Raw
	- 1.0 Barrel polished
	- 1.1 High-gloss polished
	- 2.0 Vibratory ground, dull finished and technically anodized
	- 2.1 Polished and anodized
	- 3-RAL... Powder-coated

see also page 314–315




Bestell-Nr. **RV-5040***
Order no.

T-Verbinder, 2-schalig
T-Connector. 2-shell



Bestell-Nr. **RV-5021 a***
Order no.

T-Gelenkverbinder, 1-schalig
T-joint connector, 1-shell




Ø
48.3
mm




Bestell-Nr. **RV-5041***
Order no.

Kreuz-Verbinder, 2-schalig
Cross- connector, 2-shell




Bestell-Nr. **RV-5022 a***
Order no.

Kreuz-Gelenkverbinder, 1-schalig
Cross- joint connector, 1-shell




Winkel-Verbinder 90°, 2-schalig Angle-connector 90°, 2-shell

Bestell-Nr. **RV-5045***
Order no.




Winkel-Gelenkverbinder, 1-schalig Angle joint connector, 1-shell

Bestell-Nr. **RV-5114***
Order no.



Eck-Verbinder 90°, 1-schalig Corner connector 90°, 1-shell


Bestell-Nr. **RV-5042***
Order no.



Ø
48.3
mm

Bodenlager, 1-schalig Ground bearing, 1-shell

Bestell-Nr. **RV-5043***
Order no.




* mit Oberflächen-Bestell-Code ergänzen (siehe Seite 314, 315)
to add surface-order-code (see page 314, 315)




Bestell-Nr. **RV-5044***
Order no.

Wandlager, 1-schalig
Wall bearing, 1-shell



Bestell-Nr. **RV-5044 a***
Order no.

Wandlager, 1-schalig
Wall bearing, 1-shell



Ø
48.3
mm